14:40

RECEIVED CENTRAL FAX CENTER

Attorney's Docket 071419-0272813 Client Reference: VI/96-068.RE.C

JAN 1 2 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation No: 2112

ARTHUR E UBER III ET AL.

Group Art Unit: 3737

Application No.: 09/545,582

Filed: April 7, 2000

Examiner: Ruth S. Smith

Title: PATIENT INFUSION SYSTEM FOR USE WITH MRI

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATION OF FACSIMILE TRANSMISSION UNDER 37 C.F.R. §1.8

I hereby certify that the following papers are being facsimile transmitted to the Patent and Trademark Office at (703) 872-9306 on the date shown below:

Second Supplemental Amendment (Third Revision)

PILLSBURY WINTHROP LLP

JEFFREY D. KARCESKI Reg. No. 35914

Date: January 12, 2005

P.O. Box 10500 McLean, VA 22102

Telephone: (703) 905-2000 Facsimile: (703) 905-2500

RECEIVED CENTRAL FAX CENTER

JAN 1 2 2005 REISSUE LITIGATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Continuation Reissue Patent Application of:) Confirmation No. 2112
Uber, III et al.) Group Art Unit: 3737
Appln. No.: 09/545582) Examiner: R. Smith
Filed: April 7, 2000)
Title: PATIENT INFUSION SYS	STEM)

January 12, 2005

SECOND SUPPLEMENTAL AMENDMENT (THIRD REVISION)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir.

On January 11, 2005, the undersigned received a telephone call from Examiner Smith regarding the above captioned patent application. Examiner Smith informed the undersigned that the underlining and bracketing provided in the Second Supplemental Amendment (Second Revision), which was submitted to the Office on October 1, 2004, did not comply with 37 C.F.R. § 1.173. In particular, Examiner Smith indicated that all changes to the claims and to the specification must be identified in each amendment and that the underlining and bracketing must compare with the originally-issued patent, not with the previous amendment. Accordingly, by this submission, the undersigned has altered the presentation of the claims to comply with the Examiner's request. In addition, the undersigned has reincorporated the changes made to the specification so that those changes are properly presented. The

14:40

Uber, III et al. - Serial No. 09/545582 - Atty. Dkt. No. 071419/0272813

remainder of this submission has not been altered from the Second Revision submitted on October 1, 2004.

As a supplement to the Supplemental Amendment filed on May 13, 2002, in the above-captioned patent application, in response to the paper mailed on September 7, 2004, and in response to the telephone conversation with Examiner Smith on January 11, 2005, the Applicant respectfully requests that the Examiner consider the following amendments and new claims, all of which were previously submitted. This Second Supplemental Amendment (Third Revision) is being submitted before the issuance of a second office action in the above-captioned patent application.

30505134vl